PATENT COOPERATION TREATY

CORRECTED

From the

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: TODD MATTINGLY HAYNES AND BOONE, LLP 901 MAIN STREET SUITE 3100 HOUSTON, TX 75202

PCT

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Applicant's or agent's file reference

25791.90.02

International application No. International filing date (day/month/year)

PCT/US03/15020

Applicant

EVENTURE GLOBAL TECHNOLOGY

International filing date (day/month/year)

PART NOTIFICATION

Priority date (day/month/year)

26 June 2002 (26.06.2002)

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/US

Mail Stop PCT, Attn: IPEA/ US Commissioner for Patents P.O. Box 1450

Alexandria, Virginia 22313-1450

Facsimile No. (703) 305-3230

Authorized officer
Hoang Dang

Telephone No. 571-272-3600

Form PCT/IPEA/416 (July 1992)

PATENT COOPERATION TREATY

PCT

CORRECTED

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		See Notification	on of Transmittal of International					
25791.90.02	FOR FURTHER ACTION		xamination Report (Form PCT/IPEA/416)					
International application No.	International filing date (day/month/year)		Priority date (day/month/year)					
PCT/US03/15020	12 May 2003 (12.05.2003)		26 June 2002 (26.06.2002)					
International Patent Classification (IPC) of	or national classification and IPC	·						
IPC(7): E21B 23/04, 23/08 and US Cl.: 382, 383, 207								
Applicant	Applicant							
EVENTURE GLOBAL TECHNOLOGY	EVENTURE GLOBAL TECHNOLOGY							
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.								
2. This REPORT consists of a total of sheets, including this cover sheet.								
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets.								
I hese annexes consist of a	total of <u>Q</u> sheets.							
3. This report contains indicat	ions relating to the following its	ems:						
I Basis of the repo	I Basis of the report							
II Priority								
III Non-establishme	nt of report with regard to nove	Ity, inventive s	tep and industrial applicability					
IV Lack of unity of i								
V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement								
VI Certain documents cited								
VII Certain defects in the international application								
VIII Certain observations on the international application								
Date of submission of the demand	l Data a	f completion o	Cal:					
		Date of completion of this report						
30 December 2003 (30.12.2003)		ober 2005 (07.10	0.2005)					
Name and mailing address of the IPEA/US Mail Stop PCT, Attn: IPEA/ US	Author	ized officer	#41.					
Commissioner for Patents P.O. Box 1450	Hoang	Dang	mus ge					
Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230	Telepho	one No. 703-308	3-2168					
orm PCT/IPEA/409 (cover sheet)(July 1998)								

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.	
PCT/US03/15020	

I.	Basi	s of the report			
1.	With	regard to the elements of the international application:*			
	the international application as originally filed.				
	\boxtimes	the description:			
		pages 1-8 as originally filed			
		pages NONE, filed with the demand pages NONE, filed with the letter of			
	\square	the claims:			
		pages NONE , as originally filed			
		pages NONE, as amended (together with any statement) under Article 19			
		pages NONE, filed with the demand pages 9-16, filed with the letter of 23 February 2005 (23.02.2005)			
		the drawings. pages 1-5, as originally filed			
		pages NONE , filed with the demand			
		pages NONE , filed with the letter of			
:		the sequence listing part of the description:			
		pages NONE, as originally filed			
		pages NONE, filed with the demand pages NONE, filed with the letter of			
2.	With	regard to the language, all the elements marked above were available or furnished to this Authority in the			
	lange	uage in which the international application was filed, unless otherwise indicated under this item.			
	Thes	e elements were available or furnished to this Authority in the following language which is:			
		the language of a translation furnished for the purposes of international search (under Rule23.1(b)).			
	\square	the language of publication of the international application (under Rule 48.3(b)).			
		the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).			
3.	With	regard to any nucleotide and/or amino acid sequence disclosed in the international application, the national preliminary examination was carried out on the basis of the sequence listing:			
		contained in the international application in printed form.			
		filed together with the international application in computer readable form.			
		furnished subsequently to this Authority in written form.			
	Ц	furnished subsequently to this Authority in computer readable form.			
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.			
		The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.			
4.	\boxtimes	The amendments have resulted in the cancellation of:			
		the description, pages <u>NONE</u>			
		the claims, Nos. 6, 7, 10-15, 21 and 46			
		the drawings, sheets/fig NONE			
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**			
this	Replac repor	ement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in It as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17). Eplacement sheet containing such amendments must be referred to under item 1 and annexed to this report.			

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US03/15020

. STATEMENT				
Novelty (N)		Claims	1-5, 8, 9, 16-20, 31-45 and 53-58	YE
		Claims	NONE	NO
lmmti Ct.	(10)	C1 :	160010000000000000000000000000000000000	
Inventive Ste	p (18)		1-5, 8, 9, 16-20, 31-45 and 53-58 NONE	
		Clamis	NONE	NO
Industrial App	plicability (IA)	Claims	1-5, 8, 9, 16-20, 31-45 and 53-58	YE
		Claims	NONE	NO
ggest a method as claimed pansion cone above the te maining length of the am ember as claimed and includer surface thereof. aims 1-5, 8, 9, 16-20, 31-	45 and 53-58 meet the of and including the step apered exterior surface ulus. Similarly, the priculating one or more radius 45 and 53-58 meet the of the original designs of the original designs.	of injecting fluid of the expansion of or art does not tead al passages that e criteria set out in	PCT Article 33(2)-(3), because the prior a fice material through the non-tapered extensione into the annulus and conveying the fich or fairly suggest an apparatus for radial extend from the longitudinal passage of the PCT Article 33(4), and thus the system, a cability because the subject matter claimer	ior surface of the luidic material through the liy expanding a tubular expansion device to the paratus or method for
NEW CIT	TATIONS	 -		
			·	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US03/15020

	<u> </u>				
VIII. Certain observations on the international application					
The following observations on the clarity of the claims, description, and drawings or on the questions whether the claims are fully supported by the description, are made:					
Claims 22-30 and 47-52 are objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because claims 22-30 and 47-52 are indefinite for the following reason(s): These claims depend directly or indirectly on either cancelled claim 21 or claim 46					
·					

Form PCT/IPEA/409 (Box VIII) (July 1998)

PATENT COOPERATION TREATY

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY **PCT** TODD MATTINGLY HAYNES AND BOONE, LLP 901 MAIN STREET COMMUNICATION IN CASES FOR WHICH **SUITE 3100** NO OTHER FORM IS APPLICABLE HOUSTON, TX 75202 Date of Mailing 14 NOV 2009 (day/month/year) Applicant's or agent's file reference REPLY DUE 25791.90.02 see paragraph 1 below International application No. International filing date (day/month/year) 12 May 2003 (12.05.2003) PCT/US03/15020 Applicant **EVENTURE GLOBAL TECHNOLOGY** REPLY DUE within _____ months/days from the above date of mailing NO REPLY DUE 2. COMMUNICATION: See enclosed Corrected PCT/IPEA/416 and PCT/IPEA/409 forms. Name and mailing address of the IPEA/US Authorized officer Mail Stop PCT, Attn: IPEA/ US Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
Facsimile No. (571) 273-3201 Hoang Dang Telephone No. 571-272-3600

Form PCT/IPEA/424 (January 1994)

IPEAIUS

What is claimed is:

- 1. A method of radially expanding a tubular member, comprising:
 - positioning an expansion cone comprising a tapered exterior surface and non-tapered exterior surfaces positioned above and below the tapered exterior surface within the tubular member;
 - defining an annulus between the tapered and non-tapered exterior surfaces of the expansion cone and the interior surfaces of the tubular member;
 - displacing the expansion cone relative to the tubular member to radially expand and plastically deform the tubular member; and
 - during the displacement of the expansion cone relative to the tubular member, injecting fluidic material through the non-tapered exterior surface of the expansion cone above the tapered exterior surface of the expansion cone into the annulus and conveying the fluidic material through the remaining length of the annulus.
- 2. The method of claim 1, wherein displacing the expansion cone relative to the tubular member comprises: pulling the expansion cone through the tubular member using fluid pressure.
- 3. The method of claim 2, wherein pulling the expansion cone through the tubular member using fluid pressure comprises: pressuring an annular chamber within the tubular member above the expansion cone.
- 4. The method of claim 1, wherein displacing the expansion cone relative to the tubular member comprises: pushing the expansion cone through the tubular member using fluid pressure.
- 5. The method of claim 4, wherein pushing the expansion cone through the tubular member using fluid pressure comprises: pressurizing a chamber within the tubular member below the expansion cone.
- 6. Previously Cancelled
- 7. Previously Cancelled
- 8. The method of claim 1, wherein the fluidic material is injected through the tapered exterior surface of the expansion cone into a portion of the annulus bounded by the tapered

25791.90.02

IPEAUS

PCT/US03/15020,23022005

exterior surface.

- 9. The method of claim 1, wherein the fluidic material is injected through non-tapered exterior surface of the expansion cone above the tapered exterior surface of the expansion cone and the tapered exterior surface of the expansion cone into a portion of the annulus above the tapered exterior surface and another portion of the annulus bounded by the tapered exterior surface.
- 10. Previously Cancelled
- 11. Previously Cancelled
- 12. Previously Cancelled
- 13. Previously Cancelled
- 14. Previously Cancelled
- 15. Previously Cancelled

the tubular member.

- A system for radially expanding a tubular member, comprising: means for positioning an expansion cone within the tubular member; means for displacing the expansion cone relative to the tubular member; and during the displacement of the expansion cone relative to the tubular member, means for hydroplaning the tubular member on the expansion cone; wherein means for hydroplaning the tubular member on the expansion cone comprises: means for injecting a fluidic material into an annulus between the expansion cone and
- 17. The system of claim 16, wherein means for displacing the expansion cone relative to the tubular member comprises:

 means for pulling the expansion cone through the tubular member using fluid pressure.
- 18. The system of claim 17, wherein means for pulling the expansion cone through the tubular member using fluid pressure comprises: means for pressuring an annular chamber within the tubular member above the expansion cone.

25791.90.02

PCT/USO3/15020.23022005



- 19. The system of claim 16, wherein means for displacing the expansion cone relative to the tubular member comprises:

 means for pushing the expansion cone through the tubular member using fluid pressure.
- 20. The system of claim 19, wherein means for pushing the expansion cone through the tubular member using fluid pressure comprises:

 means for pressurizing a chamber within the tubular member below the expansion cone.
- 21. (Presently Canceled)
- 22. The system of claim 21, wherein the expansion cone comprises a conical outer surface; and wherein the means for injecting a fluidic material into the annulus between the expansion cone and the tubular member comprises means for injecting a fluidic material a portion of the annulus above the conical outer surface.
- 23. The system of claim 21, wherein the expansion cone comprises a conical outer surface; and wherein the means for injecting a fluidic material into the annulus between the expansion cone and the tubular member comprises means for injecting a fluidic material into a portion of the annulus bounded by the conical outer surface.
- 24. The system of claim 21, wherein the expansion cone comprises a conical outer surface; and wherein the means for injecting a fluidic material into the annulus between the expansion cone and the tubular member comprises means for injecting a fluidic material into a portion of the annulus above the conical outer surface and another portion of the annulus bounded by the conical outer surface.
- 25. The system of claim 21, wherein means for displacing the expansion cone relative to the tubular member comprises: means for pulling the expansion cone through the tubular member using fluid pressure.
- 26. The system of claim 25, wherein means for pulling the expansion cone through the tubular member using fluid pressure comprises:

 means for pressuring an annular chamber within the tubular member above the expansion cone.
- 27. The system of claim 26, wherein the operating pressure of the annular chamber and the annulus are approximately equal.

PCT/USO3/15020,23022005

- 28. The system of claim 21, wherein means for displacing the expansion cone relative to the tubular member comprises:
- means for pushing the expansion cone through the tubular member using fluid pressure.
- 29. The system of claim 28, wherein means for pushing the expansion cone through the tubular member using fluid pressure comprises: means for pressurizing a chamber within the tubular member below the expansion cone.
- 30. The system of claim 29, wherein the operating pressure of the chamber and the annulus are approximately equal.
- 31. An apparatus for radially expanding and plastically deforming a tubular member, comprising:
 - a tubular support member that defines a longitudinal passage;
 - a tubular expansion cone coupled to an end of the tubular support member that defines a longitudinal passage and one or more radial passages that extend from the longitudinal passage and extend to an outer surface of the tubular expansion cone;
 - a tubular expansion cone launcher that receives the tubular expansion cone;
 - a tubular shoe coupled to an end of the tubular expansion cone launcher that defines a valveable longitudinal passage;
 - an expandable tubular member coupled to another end of the tubular expansion cone launcher; and
 - one or more cup seals coupled to the tubular support member for sealingly engaging the interior surface of the expandable tubular member.
- 32. The apparatus of claim 31, wherein the tubular expansion cone comprises a tapered outer surface and a non tapered outer surface; and wherein at least one of the radial passages extend to the non tapered outer surface.
- 33. The apparatus of claim 32, wherein at least one of the radial passages extend to the tapered outer surface.
- 34. The apparatus of claim 31, wherein the tubular expansion cone comprises a tapered outer surface and a non tapered outer surface; wherein at least one of the radial passages extend to the non tapered outer surface; and wherein at least one other of the radial passages extend to the tapered outer surface.

pet/USOB/15020.23022005 .--.

- 35. A method of radially expanding a tubular member, comprising: positioning an expansion device comprising an exterior expansion surface within the tubular member;
 - defining an annulus between the exterior expansion surface of the expansion device and the interior surface of the tubular member;
 - displacing the expansion device relative to the tubular member to radially expand and plastically deform the tubular member; and
 - during the displacement of the expansion device relative to the tubular member, injecting fluidic material through expansion device into the annulus and conveying the fluidic material through the remaining length of the annulus.
- 36. The method of claim 35, wherein displacing the expansion device relative to the tubular member comprises: pulling the expansion device through the tubular member using fluid pressure.
- 37. The method of claim 36, wherein pulling the expansion device through the tubular member using fluid pressure comprises: pressuring an annular chamber within the tubular member above the expansion device.
- 38. The method of claim 35, wherein displacing the expansion device relative to the tubular member comprises:

 pushing the expansion device through the tubular member using fluid pressure.
- 39. The method of claim 38, wherein pushing the expansion device through the tubular member using fluid pressure comprises: pressurzing a chamber within the tubular member below the expansion device.
- 40. The method of claim 35, wherein the fluidic material is injected through the exterior expansion surface of the expansion device into a portion of the annulus bounded by the exterior expansion surface of the expansion device.
- A system for radially expanding a tubular member, comprising:
 means for positioning an expansion device within the tubular member;
 means for displacing the expansion device relative to the tubular member; and
 during the displacement of the expansion device relative to the tubular member,
 means for hydroplaning the tubular member on the expansion device;

ect/usoa/15020.23022005

wherein means for hydroplaning the tubular member on the expansion device comprises:

means for injecting a fluidic material into an annulus between the expansion device and the tubular member.

- 42. The system of claim 41, wherein means for displacing the expansion device relative to the tubular member comprises; means for pulling the expansion device through the tubular member using fluid pressure.
- 43. The system of claim 42, wherein means for pulling the expansion device through the tubular member using fluid pressure comprises: means for pressuring an annular chamber within the tubular member above the expansion device.
- 44. The system of claim 41, wherein means for displacing the expansion device relative to the tubular member comprises: means for pushing the expansion device through the tubular member using fluid pressure.
- 45. The system of claim 44, wherein means for pushing the expansion device through the tubular member using fluid pressure comprises: means for pressurizing a chamber within the tubular member below the expansion device.
- 46. (Presently Canceled)
- 47. The system of claim 46, wherein means for displacing the expansion device relative to the tubular member comprises: means for pulling the expansion device through the tubular member using fluid pressure.
- 48. The system of claim 47, wherein means for pulling the expansion device through the tubular member using fluid pressure comprises: means for pressuring an annular chamber within the tubular member above the expansion device.
- 49. The system of claim 48, wherein the operating pressure of the annular chamber and the annulus are approximately equal.
- The system of claim 46, wherein means for displacing the expansion device

PCT/US03/15020.23022005 |PEAUS

relative to the tubular member comprises:
means for pushing the expansion device through the tubular member using fluid pressure.

- 51. The system of claim 50, wherein means for pushing the expansion device through the tubular member using fluid pressure comprises: means for pressurizing a chamber within the tubular member below the expansion device.
- 52. The system of claim 29, wherein the operating pressure of the chamber and the annulus are approximately equal.
- 53. An apparatus for radially expanding and plastically deforming a tubular member, comprising:


a tubular support member that defines a longitudinal passage;

an expansion device coupled to an end of the tubular support member that defines a longitudinal passage and one or more radial passages that extend from the longitudinal passage and extend to an outer surface of the expansion device;

a tubular expansion launcher that receives and mates with the expansion device; an expandable tubular member coupled to an end of the tubular expansion launcher; and

one or more cup seals coupled to the tubular support member for sealingly engaging the interior surface of the expandable tubular member.

- The apparatus of claim 53, wherein the expansion device comprises a tapered outer surface and a non tapered outer surface; and wherein at least one of the radial passages extend to the non tapered outer surface.
- 55. The apparatus of claim 54, wherein at least one of the radial passages extend to the tapered outer surface.
- 56. The apparatus of claim 53, wherein the expansion device comprises a tapered outer surface and a non tapered outer surface; wherein at least one of the radial passages extend to the non tapered outer surface; and wherein at least one other of the radial passages extend to the tapered outer surface.
- 57. A method of radially expanding a tubular member, comprising: positioning an expansion device within the tubular member;



25791.90.02

PCT/USO3/15020.23022005 PEAUS

defining an annulus between the expansion device and the tubular member; displacing the expansion device relative to the tubular member in a first direction to radially expand and plastically deform the tubular member; and during the displacement of the expansion device relative to the tubular member, injecting fluidic material through the expansion device into the annulus and conveying the fluidic material through the remaining length of the annulus in a second direction;

wherein the first and second directions are opposite to one another.

- A method of radially expanding a tubular member, comprising:

 positioning an expansion device within the tubular member;

 defining an annulus between the expansion device and the interior surface of the tubular member;
 - displacing the expansion device relative to the tubular member to radially expand and plastically deform the tubular member; and
 - during the displacement of the expansion device relative to the tubular member, pressurizing the annulus by injecting fluidic material through the expansion device into the annulus.